




PANEL5000-D1563-L

V1.0



Touch Screen Monitor

15.6" TFT Resistive touch screen Industrial Monitor




Specifications :




General	Control button	set Contrast ratio and Luminance via OSD at the back panel
	Dimensions (W x H x D)	405mm x 258mm x 47mm
	Cut out Size (W x H)	387mm x 240mm
	Box structure	Front panel frame: aluminum-magnesium alloy; Back cover: SGCC, silver
	Mounting	Support panel mounted, wall-mounted, Desktop VESA
	Power Supply	12~24V DC
	Power Dissipation	11W
	Signal input	VGA & HDMI
	NW	4.1kg
LCD	LCD Size	15.6" TFT
	Resolution	1366 x 768/1920x 1080
	Colors	16.7MB
	Active Area (W x H)	344.232×193.536mm/344.16mm×193.59mm
	Backlight	LED
	MTBF	50000hrs/15000hrs
	Pixel Pitch (H x V)	0.252x 0.252/0.179x0.179
	Luminance	400cd/m2/250cd/m2
	Contrast Ratio	800:1/3000:1
	Viewing Angle	85/85/50/80/ 89/89/89/89
Touchscreen	Type	Resistive touch
	Resolution	4096 x 4096
	Transmittance	> 78%
	Controller interface	USB
	Driver Support	Windows XP, Windows 7, Winows8, Windows 10, Linux
	Response Time	< 5ms
	Surface Hardness	Mohs' 3H
Environmental	Operating Temperature	-20 ~ 60°C (-4~140°F)
	Storage Temperature	-30 ~ 80°C (-22 ~ 176°F)
	Relative humidity	5~95% RH@40°C,non-condensing
	Vibration	Operating Random Vibration Test 5~500Hz, 1.5Grms@with SSD, follow IEC 60068-2-64
	Shock	Operating 10G peak acceleration (11ms duration), follow IEC 60068-2-27
	EMC	CE/FCC Class B
	Front Panel Protection	IP65 Compliant

Dimensions:mm




Interface figure:



The interface definition:

- A:USB1 B:USB2 C:USB TOUCH
- D:COM E:HDMI F:DC IN (12V)



Ordering Information:

Product Code	Description
PANEL5000-D1563-L	15.6\"TFT LCD/1366*768 / 1×VGA / 1×HDMI / 2*USB / Resistive Touch Screen / DC12-24V
PANEL5000-D1563-LH	15.6\"TFT LCD/1920*1080 /1×VGA / 1×HDMI/ 2*USB/ Resistive Touch Screen / DC12-24V

Packing List:

Mounting screws	4*pcs Thickness=1mm~1.2mm
Terminal	2PIN *1 PCS
VGA Cable	1.8M *1 PCS
USB Cable	1.8M *1 PCS

Option Items:

Adapter	12V/3.33A,40W 2pin Phoenix terminal
Power Cord	1.8M/ 3M /5M
VGA Cable	3M /5M
USB Cable	3M /5M
HDMI Cable	1.8M /3M /5M